





FUJIAN ROVOS FITNESS CO., LTD.

Headquarter: XiBeiYang Industrial Zone, Fuan, Fujian, China. Branch : Room 711, 2th Building, YunTai Industrial Zone, BaiHuaZhou Road, Fujian,China. Tel: +86-593-6067176 Fax: +86-593-6397887 Email: sales@chinarovos.com Http://www.chinarovos.com



- Easily Define Quality Life

PRODUCT CATALOGUE

MASSAGE CHAIR

FUJIAN ROVOS FITNESS CO., LTD













COMPANY INTRODUCTION

FUJIAN ROVOS FITNESS CO., LTD. was established in 2007. With the corporate mission of "Technology Leads Healthy Life" and the willingness to work hard, ROVOS teams bring exemplary innovation to every product.

With decade of tempering, ROVOS completes its accumulation. In the process of gradual development, ROVOS has become a high-tech enterprise integrating R&D, manufacturing and marketing, and has won the honorary title of the first batch of provincial " Specialized and Special New " companies.

With more than 40,000m² production area and 800 employees, ROVOS's

annual production capacity can reach 250,000 units. In 2017, ROVOS has mastered more than 60 R&D patents, of which a number of independent research and development core technologies have reached the international advanced level. Certified by UL、ETL、FDA、CB、CE、KC and RoHS, ROVOS's massage chairs have been exported to North America, Australia, Middle East, Southeast Asia, more than 30 countries and regions. With the gradual development and expansion, ROVOS has started the IPO listing plan, and will embark on a new start.

R&D CENTER

Leading the industry's technology trends


60+

Patents



RD

60 People R & D team






CORE TECHNOLOGY INTRODUCTION

INTELLIGENT **3D MASSAGE ROLLER**

Cloning of the professional masseur, offering the most comfortable massage.

ROVOS massage chairs are designed with the innovative technologies in intelligent 3D massage rollers. 4 Rollers walk up and down, left and right, forward and backward in silently.

Automatical detection on shoulder and micro adjustment accordingly, automatically detect the body physiological curve to make adjustment for massage pressure point, adjust the distance of stretching on the rollers going forward and backward, that enable the massage be more humanized and scientific, relieving the soreness and fatigue, helping the body feel most relaxation and comfort.





CORE TECHNOLOGY INTRODUCTION

5cm against the wall, space saving, one button for sliding forward, auto-lifting on Zero Gravity mode.

R775W MASSAGE CHAIR

- Four massage rollers in L-shape frame.
- Massage can be extended to the hip part.
- One button for sliding to save space.
- Zero Gravity.
- Air pressure programs from the head and neck to the hands and soles.
- Extendable footrest.
- Massage Roller for foot.
- The armrest interlocks with back rest. Heating function.
- Bluetooth-Enabled Speaker.



Technical Parameters

Noise level	(\leq)60(dB) within 30cm
Power	200W
N.W	110KG
G.W	140KG
Bearing	120KG
Package size	1400×840×1250mm
Standby size	1590×820×1220mm
Flat size	1820×820×890mm
Time	20min(Optional)
Container Load	40HQ : 38PCS



R870L MASSAGE CHAIR

- Four massage rollers in L-shape frame.
- One button for sliding to save space.
- Zero Gravity.
- neck to the hands and soles.
- Extendable footrest.
- Massage Roller for foot.
- Heating function.
- Bluetooth-Enabled Speaker.



Technical Parameters

Noise level	(≤)6
Power	200W
N.W	103K0
G.W	133K0
Bearing	120K0
Package size	1310>
Standby size	1450>
Flat size	1705>
Time	20mir
Container Load	40HQ

• Massage can be extended to the hip part.

• Air pressure programs from the head and

• The armrest interlocks with back rest.

60(dB) within 30cm

×815×1220mm ×780×1195mm ×780×946mm n(Optional) 2:44PCS



Airbag

package heating

Back Sole roller

L-shape Somatotype Zero-G Mechanical Sliding

Frame detection

ROVOS FITNESS / 07

extension audio

Bluetooth

Leg-

R657L MASSAGE CHAIR

- Four massage rollers in L-shape frame.
- Massage can be extended to the hip part.
- One button for sliding to save space.
- Zero Gravity.
- Air pressure programs from the head and neck to the hands and soles.
- Extendable footrest.
- Massage Roller for foot.
- The armrest interlocks with back rest.
- Heating function.
- Bluetooth-Enabled Speaker.



Technical Parameters

Noise level	(\leq)60(dB) within 30cm
Power	170W
N.W	83KG
G.W	99KG
Bearing	120KG
Package size	1165×780×1160mm
Standby size	1420×770×1140mm
Flat size	1675×770×915mm
Time	20min(Optional)
Container Load	40HQ: 60PCS



R659L MASSAGE CHAIR

- Four massage rollers in L-shape frame.

- Zero Gravity.
- neck to the hands and soles.
- Extendable footrest.
- Massage Roller for foot.
- Heating function.
- Bluetooth-Enabled Speaker.

Technical Parameters

Noise level	(≤)6
Power	160W
N.W	80KG
G.W	96KG
Bearing	120KG
Package size	1175>
Standby size	1390>
Flat size	1675>
Time	20min
Container Load	40HQ

• Massage can be extended to the hip part. • One button for sliding to save space.

• Air pressure programs from the head and

• The armrest interlocks with back rest.

60(dB) within 30cm

×780×1160mm ×772×1115mm ×772×915mm n(Optional) : 60PCS



Airbag

package heating

Back Sole roller

L-shape Somatotype Zero-G Mechanical Sliding

Frame detection



Leg-

extension audio

Bluetooth

R662L MASSAGE CHAIR

- Four massage rollers in L-shape frame.
- Massage can be extended to the hip part.
- One button for sliding to save space.
- Zero Gravity.
- Air pressure programs from the head and neck to the hands and soles.
- Extendable footrest.
- Massage Roller for foot.
- The armrest interlocks with back rest.
- Heating function.
- Bluetooth-Enabled Speaker.



Technical Parameters

Noise level	(\leq)60(dB) within 30cm
Power	170W
N.W	83KG
G.W	99KG
Bearing	120KG
Package size	1165×760×1160mm
Standby size	1400×750×1110mm
Flat size	1610×750×900mm
Time	20min(Optional)
Container Load	40HQ : 60PCS



R666L-A MASSAGE CHAIR

- Four massage rollers in L-shape frame.
- One button for sliding to save space.
- Zero Gravity.
- neck to the hands and soles.
- Extendable footrest.
- Massage Roller for foot.
 - The armrest interlocks with back rest.
 - Heating function.
 - Bluetooth-Enabled Speaker.



Technical Parameters

Noise level	(≤)€
Power	170W
N.W	83KG
G.W	99KG
Bearing	120K0
Package size	1175
Standby size	13762
Flat size	1610
Time	20mii
Container Load	40HQ



• Massage can be extended to the hip part.

• Air pressure programs from the head and

)60(dB) within 30cm

5×760×1170mm 5×750×1110mm)×750×900mm

in(Optional) Q:60PCS





Frame detection

package heating

Back Sole roller

Bluetooth extension audio

ROVOS FITNESS / 11

Leg-

J.

L-shape Somatotype Zero-G Mechanical Sliding Airbag Back Sole roller Leg-Bluetooth Frame detection package heating extension audio

R667L MASSAGE CHAIR

Noise level	(\leq)60(dB) within 30cm	Package size	1165×760×1160mm
Power	170W	Standby size	1400×750×1110mm
N.W	83KG	Flat size	1610×750×920mm
G.W	99KG	Time	20min(Optional)
Bearing	120KG	Container Load	40HQ: 60PCS

R668L MASSAGE CHAIR

Noise level	(\leqslant)60(dB) within 30cm	Package size	1165×760×1070mm
Power	160W	Standby size	1400×750×1070mm
N.W	74KG	Flat size	1600×750×920mm
G.W	90KG	Time	20min(Optional)
Bearing	120KG	Container Load	40HQ: 60PCS

R665L MASSAGE CHAIR

Noise level	(\leq)60(dB) wit
Power	170W
N.W	80KG
G.W	96KG
Bearing	120KG



L-shape Somatotype Zero-G Mechanical Sliding Airbag Back Sole roller Leg- Bluetooth Frame detection package heating extension audio

R666L-B MASSAGE CHAIR

vithin 30cm	Package size	1165×760×1160mm
	Standby size	1400×750×1110mm
	Flat size	1610×750×900mm
	Time	20min(Optional)
	Container Load	40HQ: 60PCS

Noise level	(\leqslant)60(dB) within 30cm	Package size	1175×760×1160mm
Power	170W	Standby size	1376×750×1110mm
N.W	83KG	Flat size	1610×750×900mm
G.W	99KG	Time	20min(Optional)
Bearing	120KG	Container Load	40HQ: 60PCS

I-shape Zero-G Back Airbag Sole roller Leg Shoulder air Stretch

R642 MASSAGE CHAIR

Noise level	(\leq)60(dB) within 30cm	Package size	1200×780×1120mm
Power	200W	Standby size	1410×770×1130mm
N.W	78KG	Flat size	1730×770×880mm
G.W	98KG	Time	20min(Optional)
Bearing	120KG	Container Load	40HQ: 66PCS

R640 MASSAGE CHAIR

Noise level	(\leqslant)60(dB) within 30cm	Package size	1200×780×1120mm
Power	200W	Standby size	1430×770×1140mm
N.W	78KG	Flat size	1760×770×870mm
G.W	98KG	Time	20min(Optional)
Bearing	120KG	Container Load	40HQ: 66PCS

R302 MASSAGE CHAIR

	Noise level	(≤)60(dB)
	Power	120W
	N.W	72KG
	G.W	85KG
	Bearing	120KG



R300 MASSAGE CHAIR

B) within 30cm	Package size	1200×784×785mm
	Standby size	1420×765×1160mm
	Flat size	1810×765×800mm
	Time	20min(Optional)
	Container Load	40HQ: 72PCS

Noise level	(\leqslant)60(dB) within 30cm	Package size	1270×784×765mm
Power	120W	Standby size	1430×760×1125mm
N.W	72KG	Flat size	1800×760×815mm
G.W	85KG	Time	20min(Optional)
Bearing	120KG	Container Load	40HQ: 72PCS

SHARING ECONOMY

The urban population generally have a large workload, high mental stress, scattered leisure time, that can't timely get a professional massage to relieve fatigue. And household massage equipment is expensive (the price of the professional massage chair is about 2000usd-8000usd / set), covering a large area, which is difficult to be accepted by ordinary families.

These people are in urgent need to enjoy convenient, affordable, professional and effective massage solutions during the scattered time.

We are ready to offer a "massage bar" for you anytime and anywhere to create a comfortable and healthy body and mind!

NETWORK SCENE

SHARING ECONOMY IN ALL MAJOR AREAS



Intelligent shared massage chair, based on Internet technology to connect products and the cloud, to create an urban experience space for relaxation, and realize the unattended operation of massage chairs. It can be placed in shopping malls, airports, high-speed rail stations, hotels, theaters, tourist attractions, scenic spots, Internet cafes, etc., to meet the needs of consumers to enjoy healthy and leisure services at low cost at any time, further form a one-stop service platform for "health, leisure, and entertainment".



PRODUCT **ADVANTAGE**



4G Solutions

 $\hat{\mathbf{a}}$

0

ក្រា

The "MOTREE" software platform goes more independently, stably and securely by its own data traffic section.

Advantages of Core Technologies

Lengthened L - shaped track enables more comfortable and precise massage. One button for sliding to save space

Quality Assurance

The products have gone through 1,000 hours of durability test.

Cloud Management System

Cloud service PC management and analysis system and H5 mobile management system improve the ability of operation and maintenance.



Multiple cooperation modes

Various cooperation modes, such as equipment buyouts and joint ventures, are available for customers to choose.

COOPERATION POLICY



Easy, convenient and multiple payment modes. Autonomous pricing, online revenue can be viewed in real time.

Autonomous

operation



ROVOS 摩趣

-

Software Support

The massage chair cloud management system is provided freely, allowing customers to easily handle the sharing economy.



 $\widehat{\mathbf{x}}$

Scene optimization support


Provide support for scene renderings and other design.



After-sales commitment

The core components are replaced in 1 year and provide 7×24 after-sales service support.





S767L VENDING MASSAGE CHAIR



POS Machine

Membership Card



APP loading

Coin/Bill Box

S766L VENDING MASSAGE CHAIR





Membership Card





Sechat Pay

APP loading